

Traditional Greek dance learning and emotions of addicted mothers – women, during in the closed part of the psychological rehabilitation 18 PLUS.

ABSTRACT

The aim of this research was to study the influence of Greek traditional dance on the emotion of addicted mothers – women, during their stay in the closed part of the psychological rehabilitation of 18 PLUS. The dry Therapeutical Program of closed accommodation 18 PLUS for dependent mothers with their children is a multi-focal suggestion of treatment. Survey participants were mothers or pregnant women aged 19-46 years. The total duration of the study was 9 months. The semi-structured interview was used to evaluate the effectiveness of the intervention. The transcribed data collected from the interviews, were analysed using the content analysis. According to the results, the traditional Greek dance learning seemed to cultivate positive emotions, contributing positively to the participants' emotional health. Specifically, participants reported that significantly improved their mood, felt joy, satisfaction, excitement. They claimed that traditional Greek dance learning was for them a discharge tool and relief of emotional tension and negative emotions. They identified the influence of their positive emotional state in the relation with their child. They pointed out that the whole process was for them a cheerful way to escape from the everyday difficulties. Achieving their goals and improving their dance performance, strengthened as they said, their self-esteem and self-confidence. According to the findings of this survey, it seems that the Greek traditional dance might be a complementary therapeutical method for dependent mothers, by promoting emotional expression, social interaction, behavior change and reinforcing the optimistic attitude to life.

Key words: *Psychotropic substances, dependent mother, detoxication, 18 plus, emotion*

μ ,

μ μ ,

μ

,

μ μ

18 .

Περιεχόμενα

.....	3
ABSTRACT.....	4
.....	5
μ	8
1	11
2.1	14
2.2 μ	15
2.3	16
2.4 μ	16
2	17
2.1	17
2.2	18
2.3	20
2.4	22
2.5 μ μ	24
2.6 μ μ μ	26
2.7 μ :	
μμ 18	27
2.8 μ μ	28
2.9 μ	30
2.10	33
2.11 μ	34
2.12	37

2.13		39
2.14		40
2.15		41
		41
2.16		42
2.17		44
3		47
3.1	μμ	47
3.2		48
3.3	μμ μ	50
3.4		54
3.5		55
4		56
4.1	μ μ μ	57
4.2		58
4.3	μ	59
4.4	μ	60
4.5		61
4.6		62
4.7		63
4.8		64
5		66
6	&	74
		75
	μ μ 18	76
		79
		93

1	μ μ93
2	95
3	96
4	97

1. μ	μ 47
----------	-------	----------

μ 1.		μ 57
μ 2.	μ65

1.	97
2.	μ μ	(1)97
3.	μ μ	(2)98

μ
 , μ
 , μ
 (& , 1965).
 μ ,
 (,
 2011).
 μ μ
 μ (, 2013).
 μ , μ
 μ . μ μ
 (μ , μ
 ,) μ
 μ . μ μ
 μ μ . μ
 μ , ,
 μ , μ μ
 μ μ (, 2011; , 1997).
 μ μ
 (, 2011). μ μ
 μ μ
 . μ
 μ μ
 (Brady & Ashley, 2005; Winklbaaur, Jung, & Fischer, 2008; , 2011; ,
 2013; , 2005).

, μ μ
 .
 μ
 μ μ , μ μ
 . μ
 μμ μ μ μ μ
 . μ μ
 μ μ
 μ μ μ ,
 μ μ μ ,
 . μ
 μ (Kaltsatou, Mameletzi, & Douka, 2011;
 , & , 2015). μ ,
 μ μ μ .

2.2 μ

μ
 , , , , (–
 ., 1997), μ μ
 μ (., 2008). μ μ
 μμ μ μμ ,
 μ μ , μ
 . μ μ
 μ . , ,
 , μ μ
 (Goleman, 2011). μ , μμ
 .
 μ μ
 μ μ , , ,
 , . μ

μ , μ μ μ
 μ μ . μ
 μ μ μ
 μ , μ , μ
 μ μ .
 μ , μ μ μ ,
 μ μ μ μ
 μ .
 μ μ μ μ
 μ . μ μ
 μ , μ
 μ , μ μ

2.3

- :
- μ μ μ μ
18 .
 - μ μ μ .
 - 19 45 .
 - μ μ .

2.4 μ

μ μ μ μ μ μ
 μ , μ .

2.1

μ
μ () μ μ ,
μ , μ .
μ μ . μ
μ μ μ . μ
μ μ .
μ μ
μ (& , 1965). μ μ
μ (– , 1984).
μ ,
μ (, 2011).
μ μ ,
μ μ μ
(, 2011).
3.500 , μ
(, 2011). μ
17 18 ,
μ μ μ .
μ
μ ,
(, 2011). ()
(μ μ)

Altman (1995),

(addiction)

(2013).

ICD-10¹

(2011, .19)

«...»

(dependence)

¹ 1992.

2011; , 1997). , « » (,
 μ μ μ μ
 μ
 (, 1997).
 Wurmser (1974) μ
 μ μ
 .
 μ μ
 μ μ μ μ μ μ
 ,
 μ μ μ
 . μ
 μ μ μ ,
 (Brady & Ashley, 2005; Ekinci & Kandemir, 2015;
 Winklbaaur, Jung, & Fischer, 2008; , 2011; , 2013; ,
 2005). μ μ μ μ
 μ μ « μ » ,
 μ μ μ . μ μ
 « » « »
 μ μ ,
 μ .
 μ μ
 μ μ
 μ , μ
 (Beschner, Reed, & Mondanaro, 1981; , 2011; , 2013;
 , 2005).
 μ μ μ
 μ μ , , μ μ
 , (, 2010).
 , , .
 μ μ . μ
 . μ
 μ μ . μ
 , (, 2015; , 2013).

μ (, 2011; , 2008).

μ .
μ (, 2013). μ
μ μ μ
μ (, 2011).
μ μ (2016) 2015

μ 2003. , μ
μ μ μ
μ . μ
μ μ
μ .
μ , μ ,
μ μ μ .
μ (, 2013;
, 2001).

2.4

μ μ μ
μ μ μ (μ
)
μ μ μ
(), μ HIV,
μ , μ , μ ,
μ (, 2016; , 1997). μ ,

μ μ μ μ

2.5 μ μ

, μ μ'

μ μ , μ μ , ,

μ μ μ μ

μ μ μ μ

μ μ μ μ

μ μ μ μ

μ μ μ μ

μ μ μ μ

(Beschner et al., 1981; Brady & Ashley, 2005; Cormier, Dell, & Poole, 2004; Najavits, Weiss, & Shaw, 1997; Zafarghandi, 2014; , 2001; , 2001).

μ μ μ μ

μ μ μ μ

(Denier, Thevos, Latham, & Randall, 1991; & , 2008).

μ μ μ μ

(, 2005; , 2010).

μ μ μ μ

μ μ μ μ

μ μ μ μ

μ μ μ μ

(Nelson-Zlupko, Kauffman, & Dore, 1995; , 1998, , 2013).

(Beschner et al., 1981; Brady & Ashley, 2005; Cormier, et al., 2004).

(Beschner et al., 1981).

(M , 2003).

Brady Ashley (2005) Greenfield et al. (2007)

(, ids)

Greenfield et al. (2007),

(, 2004; & , 2008).

(, 2004).

(Brady & Ashley, 2005; Cormier, et al., 2004; Denier, et al., 1991; Nelson-Zlupko, et al., 1995; Zafarghandi & Jadidi, 2014; Winklbaaur et al., 2008; & , 2008).

.
 μ
 μμ μμ μ μ
 (μ , μ , μ
 .).
 2006 μ μμ μ
 18 . μ μμ , μ
 ,
 μ μ
 μ μ
 μμ μ μ
 μ μ 5 . μ μ μ
 μ μ μ
2.8 μ μ
 μ
 μ μ
 μ μ μ μ μ
 μ μ μ μ μ
 μ (, 2013). μ
 μ μ , μ
 μ μ ,
 μ μ (, 2011;
 , 2013; , 2005).
 μμ
 (, 2005). μ ,
 μ μ

(, 1996). ,
 μ ,
 μ . ,
 μ
 μ .
 μ
 μ . , μ
 μ , μ
 , μ
 μ . ,
 μ μ μ μ μ
 μ (Beschner et al., 1981).
 μ . μ
 , , μ ,
 , ,
 , μ μ μ
 μ . μ
 μ μ μ μ μ
 μ μ
 . μ μ
 (, 2001). μ μ μ
 μ μ μ
 μ μ μ (, 2001, 2013).
 μμ
 Ko es ikova Miez te (2007)
 μ , μ
 μ μ
 μ .
 μμ μ
 μ
 (Lewandowski & Hill, 2009). ,
 μ μ μ

(Grella, et al., 2009). μμ
 μ μ Brady Ashley
 (2005) μ μ
 μ μ
 μ , , .
 μ μ μ
 μ μ μ
 μ μ μ μ μ μ
 18 (& 2015, .20) : «
 μμ μ μ μ μ μ 18
 . , « μ »
 μ – μ μ
 μ μ .
 μ μ μ
 ».

2.9

μ
 μ μ μ .
 μ μ «μ
 μ μ μ
 , μ μ , μ
 » (Goleman, 2011, .15). μ
 μ μ μ
 μ μ (Goleman, 2011).
 μ μ μ
 μ μ .
 (Goleman, 2011)
 μ μ : μ , , ,
 , , , . μ
 μ μ μ ,
 μ , μ
 μ , μ
 μ , μ

(mood)
 (, 2010).
 (Pandey & Choubey, 2010; Goleman, 2011).
 (Pressman, 2013).
 Fredrickson Cohn (2002) Fredrickson (2004)
 Koketal (2013)
 Goleman (2011)
 (, 2011; , 2013).

μ . μ μ
 .
 μ
 .
 ,
 μμ μ μ .
 μ μ
 μ (, 1999).
 (1977) μ “ ”,
 μ , μμ μ .
 μ μ μ μ ,
 μ (, 1999).
 μ μ
 μ , μ
 .
 μ μ
 μ μ . , μ ,
 μ ‘ , .
 , μ .
 μ (, 1977; , 1999).
 , μ μμ
 μ . μ .
 μ μ μ ,
 μ , μ (,
 1999).
 μ (791a-b)
 μ μ ,
 μ . μ μ
 μ
 .
 μ
 «... μ ,
 μ μ , μ

(Borgesda, Costa, & Cox, 2016).

2.13

(Payne, 2003).

(Armeniox, 1998).

Bräuningner (2012) Koch, Kunz, Lykou Cruz (2013),

(Anderson, Kennedy, DeWitt, Anderson, & Wamboldt, 2014; Blazquez, Guillamo, & Javierre, 2010; Dhami, Moreno, & DeSouza, 2016; Kiepe, Stöckigt, & Keil, 2012; Lee, Jang, Lee, & Hwang, 2015).

(Murrock & Graor, 2016; Punkanen, Saarikallio, & Luck, 2014; Pylvanainen, Muotka, & Lappalainen, 2015)

(Punkanen, Saarikallio, & Luck, 2014).

(Hashimoto, Takabatake, Miyaguchi, Nakashini, & Naitou, 2015; Shanahan, Morris, Bhriain, Saunders, & Clifford, 2015).

(Bradnt, Goodill, & Dileo, 2011; Sturm, Baak, Storek, & Traore, 2014; Koch, et al., 2013).

H (Garnier, Cazau, Joffroy, Sanguignol, & Mauriege, 2014; Meekums, Vaverniece, Majore–Dusele, & Rasnacs, 2012; Muller-Pinget, Carrard, Ybarra, & Golay, 2012).

Doonan Bräuninger (2015)

H Raskey (2014)

Goodison Schafer (1999)

Baker, Gleadhil, Dingle (2007)

2.14

(Atlantis, Chow, Kirby, & Singh, 2004; , 1991; Herring, Johnson, & O'Connor, 2016; Miller, et al., 2016; Norris, Carroll, & Cochrane, 1990; Moses,

Steptoe, Mathews, & Edwards, 1989). Arizabaleta,
 Buitrago, dePlata, Escudero Ramírez-Vélez (2010) μμ
 3 μ μ ,
 . , μ μ μ
 μ μ μ μ μ
 , μ μ μ μμ (Thorogood, et al., 2013;
 Andersen et al., 1999).
 μ μ
 μ μ (Vancampfort, et al., 2011;
 Firth,2016). μ μ μ μ
 μμ μμ (Wipfli,
 Rethorst, & Landers, 2008; Martinsen, 2009).
 μ μ , μ
 μ μ , μ μ ,
 (Kirkcaldy, 2002).
 μ μμ
 μ μμ μ
 (& μ , 2008). μ ,
 μ
 μ (Antunes, Stella, Santos,
 Bueno, & deMello, 2005).

2.15

μ μ
 μ μ μμ , μ
 μ μ μ μ μ
 .
 μ , ,
 μ μ μ ,
 (Buchowski, et al., 2011; Giménez, Mesegner, & Martine, 2015; Smith &
 Lynch, 2012). μ μ ,
 μ (Giménez, Mesegner, & Martine, 2015)

μ (Brown, et al., 2010; Giménez, Mesegner, & Martine, 2015; Roessler, 2010).

μμ

Abrantes, et al. (2011)

μ

μ

μ

μ

μ

μ

μ

μ

μ

μ

μ

(Murphy, Nevill, Neville, Biddle, & Hardman, 2002; Osei-

Tutu, & Campagna, 2004).

μ

μ

Shors, Olson,

Bates, Selby

Alderman (2014)

μμ 16

μ

,

,

μ

,

.

μ

μμ

,

,

μ

μ

μ

(Roessler,

2010).

(Roessler, 2010)

μ

μ

,

μ

μ

μ

μμ

μ

.

μ

μ

μμ

μ

μ

μ

μ

μ

.

2.16

« , , , μ μ ...
!» (. , μ)

μ

μ

,

μ

μ

μ

μ

μ

μ

μ

.

μ μ

(, 2003;

., 2006;

,

2004).

μ

μ

μ

μ

μ

μ , μ , μ μ μ ,
 , μ . ,
 μ μ
 μ . μ . μ
 , , μ μ
 μ . μ , μ μ
 μ . μ μ
 μ . μ μ
 (μ , 1993).
 μ
 μ μ μ
 μ μ
 (, 2001; , 1992). μ μ
 ο . μ
 μ . μ
 μ μ μ μ
 μ , , μ (&
 , 1990). μ
 μ μ μ μ μ
 , μ (&
 , 1990; μ , 1993).

2.17

Connor (2000)

μ μ μ . μ
 , μ
 μ . μ μ μ μ .
 μμ , μ μ
 μ μ μ
 , μ ,
 . Hanna (1995) μ μ

3.1 μμ

μμ μ 19-46
 μ μ 18 μ
 . μμ μ μ μ
 μ μ μ μ μ
 μ μ μ μ μ
 μ μ μ μ μ
 .

1. μ μ μ .

				μ		
μ 1	1970	30	16	1	μ	.
μ 2	1981	20	14/15	1	μ	.
μ 3	1988	13	15	1	μ	. μ
μ 4	1981	19	15	1	.	.
μ 5	1984	17	15	2	μ	.
μ 6	1995	7	13/14	1	μ	. /μ


μμ . μ 1 μ 32,8 μ
 14,8 . μ

3. $\mu\mu$; μ μ
 : μ μ μ .
4. μ ; μ
 : μ μ μ μ .
5. μ ; μ
 : μ $\mu\mu$.
6. μ , ; ,
 μ ;
 : μ μ μ μ .
7. μ μ μ ; μ
 : μ
 μ μ μ , μ .
8. μ μ ; μ
 ;
 : μ $\mu\mu$
 μ μ ,

μ
 μ
 .
 9. ;
 , μ , . . .
 ;
 ;
 : μ μ μ
 $\mu\mu$ μ
 μ μ . ,
 μ μ .

3.3 $\mu\mu$ μ

μ ,
 μ .
 μ μ μ μ μ μ μ
 μ , μ μ μ μ , μ μ
 μ μ μ μ μ μ μ
 μ μ μ , μ μ
 μ μ μ μ μ μ
 μ μ μ μ μ μ μ
 μ μ , μ μ μ μ μ
 $\mu\mu$ μ 9μ .
 μ μ μ μ 1 .
 μ 36 $\mu\mu$ μ
 :
 • μ μ .



μ 1.

μ

4.1

μ μ

μ

: μ , μ , , μ

μ μ μ .

, μ μ

μ μ μ μ .

μ μ μ ,

μ . μ

μ , . μ

μ . μ μ .

: , , μ , - - , μ

, μ - , , , μ

μ

:

« , , ... , μ

, ».

«... μ μ μ ... μ ...

μ μ , “ μ ”,

... μ , μ μ , μ

μ ... μ , ».

4.2

: , μ , , - -

μ , μ μ

μ μ . μ μ

μ μ . μ μ

μ μ μ . μ μ

μ μ μ μ . μ μ

μ :

« , ... μ

μ μ , ».

« μ ».

μ μ
 μ . μ ,
 μ μ
 μ . μ
 μ :
 « μ , ... ,
 , μ ... μ ... μ ...
 , μ , μ , μ , μ , ...
 , ».

4.3 μ

: , , , μ μ , , -
 , dvd., μ , μ ,
 μ
 , μ μ μ
 μ . μ
 μ μ . μ ,
 , μ , , μ
 , μ μ μ
 μ , μ . μ
 μ μ μ
 μ . μ :
 « μ »
 « μ μ , μ ...
 μ ... ».
 « , μ ... μ μ ,
 μ , μ μ μ ...
 ... , ».
 « μ ... , μ , , μ , ,
 μ μ μ μ . ' ... ».

4.5

: μ , μ , μ ,
 μ , , , ,
 μ , μ , μ , μ μ ,
 , μ , μ , μ , μ ,
 μ , ,
 μ μ
 . μ ,
 μ μ
 .
 μ . μ .
 μ , ,
 . μ .
 μ μ .
 μ μ μ .
 μ μ , ,
 μ μ μ . μ
 μ μ μ . μ
 μ μ . μ
 , , μ .
 « μ ...
 ».
 « μ ».
 « μ μ ... »
 «... μ μ μ ,
 μ , ... ».

4.6


)) μ
: μ μ μ , ,
μ , μ μ , , μ ,
μ , μ ,
μ : μ , , μ , μ
, , , , , ,
, , , , ,
μμ
μ .
. .
μ , μ μ ,
, μ μ . μ
μ
, μ ,
. μ μ ,
dvd , μ .
, μ
. (μ 2).
, , ,
μ ,
μ μ ,
μ μ ,
μ μ μ μ
. μ μ
, :
«... μ μ ...μ μ ...
, μ ... μ , μ
».

« ... μ , , μ
 , , , ,
 ».
 «... μ μμ ,
 , μ , μ , ».
 «... , μ μ ,
 μ , μ μ μ μ ... , μ
 μ , μ ,
 μ ».
 «... μ μ ».

4.7

) μ
 : , μ , , μ ,
 , , μ , μ ,
 μ ,
 μ μ μ
 μ μ . μ
 μ μ .
 μ μ μ
 . , , μ
 .
 «... μ , μ μ ...
 , ».
 « μ ... μ ... ,
 ... ».
 « μ μ
 ... μ μ ,
 μ , ... ».

μ , ,
μ .
« μ ... μ
, μ , μ μ
μ , , , ,
μ ... μ μ
».
«...μ μ ...».
« μ μ μ ».



μ 2. μ μ

,
 , μμ
 μ μ
 . μ μ μ μ (2007),
 (1997) (2013), μ
 μ μ . , , μ , μ
 μ μ μ . ,
 μ
 μ μ μ .
 , μ
 μ μ μ .
 μ μ μ μ , μ , ,
 μ μ μ μ ,
 .
 μ μ μ
 , μ μ .
 μ
 (μ), μ
 μ μ μ μ .
 μ μ μ μ . μ . , μ
 , μ
 μ μ μ μ μ μ μμ .
 Goulimaris et al. (2014)
 (1992).
 μ μ
 . μ , , ,
 μ μ μ
 . ,
 ,
 μ .

(Atlantis et al., 2004; Herring et al., 2016; Kirkcaldy, 2002; Miller, et al., 2016; Moses et al., 1989; Norris et al., 1990; Roessler, 2010; Raskey, 2014).

,
 . ,
 μ .
 , μ μ ,
 , μ μ μ
 μ (, 2004).
 μμ μ . μ
 , μ μ (1996);
 (2015) (2013) μ
 . μ
 μ , , μ , .
 μ , , , . μ
 . μ μ μ μ
 Goodison Schafer (1999) Raskey (2014).

, μ μ μ , μ
 μμ
 . μ μ ,
 , μ ,
 , μ .
 μ . μ
 μ μ . , ,
 μ .
 μ μ ,
 dvd, μ , ,

, μ μ
 . μ μ (2003)
 μ .
 μ μ μ μ μ ,
 μ μ ,
 μ μ .
 μ μ
 μ μ
 μ .
 μ μ
 μ .
 μ μ
 (2013), .
 μ ,
 μ μ μ
 .
 ,
 , μ μ
 μ .
 (1990) (2013). μ ,
 μ μ μ
 μ μ μ μ μ
 Fredrickson Cohn (2002) Fredrickson (2004).
 μ μ
 μ ,
 μ μ ,
 μ μ
 , μ
 μ
 μ μ μ μ μ
 Nelson-Zlupko et al. (1995), Grella et al. (2009) Metz et al. (2014) μ
 μ μ μ . μμ

μ
 (, 2003) μ μ .
 μμ μ
 μ μ μ μ .
 , μ .
 μ .
 , , μ .
 .
 μ .
 μ μ μ .
 , μ
 μ μ , μ
 (μ , 2001; Forcinia, Maturob, & Ventrec, 2013).
 μμ μ
 μ μ μ μ .
 μ μ μμ μ .
 , ,
 . Goleman(2011) μ μ
 μ μ
 , .
 ,
 μ .
 μ μ μ μ
 .
 μ μ μ μ
 μ μ μ
 μ μ μ μ
 μ μ μ μ
 μ μ μ μ

μ . , μ
 , μ
 . μ
 μ Ko es ikova & Miez te (2007),
 (2013).
 , μ ,
 , μ . ,
 μ μ μ μ μ
 μ μ μ μ μ
 μ . , μ μ
 , μ μ . μ
 μ μ , μ ,
 μ .
 , μ μ , μ .
 μ . μ ,
 μ , μ
 . μ .
 . μ , μ ,
 . μ μ
 DieI (1980), (2012), (2013) (2001).
 μμ ,
 , μ μ
 . , μ μ
 μ . μ
 μ ,
 μ . μ
 μ μ , μ
 . μ
 (2005).
 μ μ μ μ
 μ μ

μ μ μ μ μ . μ
μ μ . μ ,
μ μ μ μ .
μ μ μ μ μ
μ μ μ μ μ
μ . μ μ , μ μ μ
μ μ μ μ μ μ
μ μ μ μ .

μ μ 18

μ μ μ 18 μ μ
μ . μ
μμ . μ
μ , μ . μ μ ,
μ μ , μ μ .
μ .
, μ μ
μ μ
. μ μ μ μ μ
μ μ μ .
. μ μ μ μ
μ μ μ : « , , , μ ,
μ ... μ ».
: « μ ,
. ».
μ μ μ
μ . , μ μ
. μ μ ,
μ μ μ μ μ . μ μ .
μ . μ μ : « , μ μ ,
, , , μ μ , μ μ ,
μ ... ».
μ .
μ , μ , «
» , μ « » μ μ μ .
« μ ... ».

, 18 ,
μ μ μ μ μ
. μ ,
μμ μ μ
μ . μ μ
μ μ , μ
μ μ .
« μ μ .
. , μ , . ,
μ μ , μ .
μ , μ μ μ
. , ,
, ... ».

-
- Baker, F., Gleadhill, L.M., & Dingle, G.A. (2007). Music therapy and emotional exploration: Exposing substance abuse clients to the experiences of non-drug-induced emotions. *The Arts in Psychotherapy*, 34(4), 321–330.
- Beschner, G. M., Reed, B. G., & Mondanaro, J. (1981). *Treatment services for drug dependent women* (No. 81-1177). National Institute on Drug Abuse, US Dept. of Health and Human Services, Public Health Service, Alcohol, Drug Abuse and Mental Health Administration.
- Blazquez, A., Guillamó, E., & Javierre, C. (2010). Preliminary experience with dance movement therapy in patients with chronic fatigue syndrome. *The Arts in Psychotherapy*, 37(4), 285-292.
- Borges da Costa, A. L., & Cox, D. L. (2016). The experience of meaning in circle dance. *Journal of Occupational Science*, 23(2), 196-207.
- Bradt, J., Goodill, S. W., & Dileo, C. (2011). Dance/movement therapy for improving psychological and physical outcomes in cancer patients. *The Cochrane Library*.
- Brady, T. M., & Ashley, O. S. (2005). *Women in substance abuse treatment: Results from the Alcohol and Drug Services Study (ADSS)*. Department of Health and Human Services, Substance Abuse and Mental Health Services Administration, Office of Applied Studies.
- Bräuninger, I. (2012). The efficacy of dance movement therapy group on improvement of quality of life: A randomized controlled trial. *The Arts in Psychotherapy*, 39(4), 296-303.
- Brown et al. (2010). A pilot study of aerobic exercise as an adjunctive treatment for drug dependence. *Ment Health Phys Act*. 3 (1): 27–34.
- Brown, R. A., Abrantes, A. M., Read, J. P., Marcus, B. H., Jakicic, J., Strong, D. R., et al. (2010). A pilot study of aerobic exercise as an adjunctive treatment for drug dependence. *Mental Health and Physical Activity*, 3(1), 27-34.
- Buchowski, M. S., Meade, N. N., Charboneau, E., Park, S., Dietrich, M. S., Cowan, R. L., et al. (2011). Aerobic exercise training reduces cannabis craving and use in non-treatment seeking cannabis-dependent adults. *PloS one*, 6(3), e17465.

- Diel, P. (1980). *μ μ μ (μ .)*.
- Dodds, R. (1977). *Euripides Bacchae, edited with Introduction and Commentary*, 2nd ed., Oxford, at the Clarendon Press. (. , .)
 μ .
https://www.mikrosapoplous.gr/articles/bakhes_dodds.htm
- Doonan, F., & Bräuningner, I. (2015). Making space for the both of us: how dance movement therapy enhances mother–infant attachment and experience. *Body, Movement and Dance in Psychotherapy*, 10(4), 227-242.
- DSM-IV,
 (Diagnostic and Statistical Manual of Mental Disorders–DSM)
 μ (1994). <https://justines2010blog.files.wordpress.com/2011/03/dsm-iv.pdf>
- , . & μ . . (2016).
 μ μ , www.2016congressathens.cid-world.org/images/cloud/Projects/.../CID.docx
- , . (1993).
 μ μ μ . , 1(1), 112-120.
- μ , . (2001). μ .
 – .. : Artwork
- μ , . (1993). . . .
- , .. , .. & μ , . (2015). ,
 , μ ,
- Ekinci, S., & Kandemir, H. (2015). Childhood trauma in the lives of substance-dependent patients: the relationship between depression, anxiety and self-esteem. *Nordic Journal of Psychiatry*, 69(4), 249-253.
- μ () -
 μ () (2016).
 2015. μ

- μ : , 2016. μ :
<http://www.ektepn.gr/Documents/PDF/EE2015.pdf>
- Farges, F., Corcos, M., Speranza, M., Loas, G., Perez-Diaz, F., Venisse, J. L., et al. (2004). Alexithymie et toxicomanie: lien avec la dépression. *L'Encéphale*, 30(3), 201-211.
- Firth, J., Stubbs, B., Rosenbaum, S., Vancampfort, D., Malchow, B., Schuch, F., et al. (2016). Aerobic exercise improves cognitive functioning in people with schizophrenia: A systematic review and meta-analysis. *Schizophrenia Bulletin*, sbw115.
- Forcini, S., Maturo, A., & Ventre, A. G. (2013). The Role of Folk Dance in the Processes of Individual and Social Wellbeing: a Comparison with Other Popular Recreational Activities Through Models of Decision Theory and Game Theory. *Procedia-Social and Behavioral Sciences*, 84, 1750-1756.
- Fredrickson, B. L. & Cohn, M. A. (2002). Positive emotions. In B.L. Fredrickson *Handbook of positive psychology* (pp. 777-796). Oxford, NY: Oxford University Press.
- Fredrickson, B. L. (2004). The broaden and-build theory of positive emotions. *Philosophical Transactions-Royal Society of London Series B Biological Sciences*, 1367-1378.
- Garnier, S., Cazau, A., Joffroy, S., Sanguignol, F., & Mauriege, P. (2014). A pilot-study on the benefits of dancing-therapy on eating behaviors and self-esteem in obese women. *Science & Sports*, 9(1), 1-9.
- Giménez-Meseguer, J., Tortosa-Martínez, J., & Remedios Fernández-Valenciano, M. D. L. (2015). Benefits of exercise for the quality of life of drug-dependent patients. *Journal of Psychoactive Drugs*, 47(5), 409-416.
- Goleman, D. (2011). μ μ . :
- Goodison, L., & Schafer, H. (1999). Drug addiction therapy. A dance to the music of time. *The Health Service Journal*, 109(5677), 28-29.
- Goulmaris, D., Mavridis, G., Genti, M., & Rokka, S. (2014). Relationships between basic psychological needs and psychological well-being in recreational dance activities. *Journal of Physical Education and Sport*, 14(2), 277-284.

- Kaltsatou, A., Kouidi, E., Fountoulakis, K., Sipka, C., Theochari, V., Kandylis, D., et al. (2015). Effects of exercise training with traditional dancing on functional capacity and quality of life in patients with schizophrenia: A randomized controlled study. *Clinical Rehabilitation*, 29(9), 882-891.
- Kiepe, M. S., Stöckigt, B., & Keil, T. (2012). Effects of dance therapy and ballroom dances on physical and mental illnesses: A systematic review. *The Arts in Psychotherapy*, 39(5), 404-411.
- Kirkcaldy, B. D., Shephard, R. J., & Siefen, R. G. (2002). The relationship between physical activity and self-image and problem behaviour among adolescents. *Social Psychiatry and Psychiatric Epidemiology*, 37(11), 544-550.
- Koch, S. C., Morlinghaus, K., & Fuchs, T. (2007). The joy dance: Specific effects of a single dance intervention on psychiatric patients with depression. *The Arts in Psychotherapy*, 34(4), 340-349.
- Koch, S., Kunz, T., Lykou, S., & Cruz, R. (2014). Effects of dance movement therapy and dance on health-related psychological outcomes: A meta-analysis. *The Arts in Psychotherapy*, 41(1), 46-64.
- Kok, B. E., Coffey, K. A., Cohn, M. A., Catalino, L. I., Vacharkulksemsuk, T., Algoe, S. B., et al. (2013). How positive emotions build physical health: Perceived positive social connections account for the upward spiral between positive emotions and vagal tone. *Psychological Science*, 24(7), 1123-1132.
- Ko es ikova, J. & Miez te, S. (2007). Changes in drug addicts' social problem-solving abilities and goal achievement orientations during rehabilitation. *Baltic Journal of Psychology*, 8(1, 2), 49-56.
- . (2007). μ . :
- .
- , . . (2011). . , 22, 17-23. <http://www.psych.gr/documents/psychiatry/22.1-GR-2010-17.pdf>
- , . (2015). μ : μ
- μ
- μ , μ , μ .
- . . (2012). . :

- , . & μ , . (2008). μ μ
μ
22(6), 720-728.
- . & . (1965).
- μ , 102, 80-150. <http://ir.lib.uth.gr/handle/11615/3369>
- Lee, H. J., Jang, S. H., Lee, S. Y., & Hwang, K. S. (2015). Effectiveness of dance/movement therapy on affect and psychotic symptoms in patients with schizophrenia. *The Arts in Psychotherapy, 45*, 64-68.
- Lewandowski, C. & Hill, T. (2009). The Impact of Emotional and Material Social Support on Women's Drug Treatment Completion. *SocialWorkFacultyPaper 24*.
- Lewandowski, C. A., & Hill, T. J. (2009). The impact of emotional and material social support on women's drug treatment completion. *Health & Social Work, 34*(3), 213-221.
- , . (1999). , .
:
- , . (2011). , , μ μ
(6). : .
- , (1994) μ 10 (μ . μ).
:
- Martinsen, E. W. (2008). Physical activity in the prevention and treatment of anxiety and depression. *Nordic Journal of Psychiatry, 62*(sup47), 25-29.
- Mavrovouniotis, F. H., Argiriadou, E. A., & Papaioannou, Ch. S. (2010). Greek traditional dances and quality of old people's life. *Journal of Bodywork & Movement Therapies, 14*, 209–218. <http://www.sciencedirect.com/science/article/pii/S>
- Meekums, B., Vaverniece, I., Majore-Dusele, I. & Rasnacs, O. (2012). Dance movement therapy for obese women with emotional eating: A controlled pilot study. *Arts in Psychotherapy, 39*(2), 126-133.

Norris, R., Carroll, D., & Cochrane, R. (1990). The effects of aerobic and anaerobic training on fitness, blood pressure, and psychological stress and well-being. *Journal of Psychosomatic Research*, *34*(4), 367-375.

, . (2001). : μ μ μ
 μ .
 , 76, 4-6.

, μ (,16) <https://el.wikisource.org/wiki>

Osei-Tutu, K.B., & Campagna, P.D. (2004). The effects of short-vs. long-bout exercise on mood, VO₂max., and percent body fat. *Preventive Medicine*, *40*, 92 – 98.

Payne, . (2003). *Dance movement therapy: heory and practice*. London: Routledge.

Pinard, L., Negrete, J. C., Annable, L., & Audet, N. (1996). Alexithymia in substance abusers. *The American Journal on Addictions*, *5*(1), 32-39.

Pressman, S. D., Gallagher, M. W., & Lopez, S. J. (2013). Is the emotion-health connection a “first-world problem”? *Psychological Science*, *24*(4), 544-549.

Punkanen, M., Saarikallio, S., & Luck, G. (2014). Emotions in motion: short-term group form dance/movement therapy in the treatment of depression: A pilot study. *The Arts in Psychotherapy*, *41*(5), 493-497.

Pylvänäinen, P. M., Muotka, J. S., & Lappalainen, R. (2015). A dance movement therapy group for depressed adult patients in a psychiatric outpatient clinic: Effects of the treatment. *Frontiers in Psychology*, *6*, 980.

, . (2001). . : T .

, . (2003). μ .

<http://www.ekivolos.gr/Mousikh%20kai%20psyxoswmatikh%20agwgh%20sth%20arxaia%20Ellada>

, . & , . (2015). μ μ
 μ 18, . :

, .. , .. & , . (1999). μ
 . : Salto.

- , .. μ , .. T μ μ , .. & μ , . (2008).
μ μ
&
μ , 6(3), 329-339.
- , μ (1992). μ 1, 4 (μ . μ). :
.
, . (2005). : . :
μμ .
, . (2004).
:
, μ : (1999) μ 5 (μ .
μ). : 1999.
- Raskey, W. (2014). *The Impact of Dance/Movement Therapy on the Self-Esteem of Women in Addictions Treatment*, Doctoral dissertation, The Chicago School of Professional Psychology.
- Wipfli, B. M., Rethorst, C. D., & Landers, D. M. (2008). The anxiolytic effects of exercise: meta-analysis of randomized trials and dose–response analysis. *Journal of Sport and Exercise Psychology*, 30(4), 392-410.
- Roessler, K. K. (2010). Exercise treatment for drug abuse-A Danish pilot study. *Scandinavian Journal of Public Health*, 38(6), 664-669.
- μ , . (1993). . A : “ μ ”.
- Shanahan, J., Morris, M. E., Bhriain, O. N., Saunders, J., & Clifford, A. M. (2015). Dance for people with Parkinson disease: what is the evidence telling us? *Archives of Physical Medicine and Rehabilitation*, 96(1), 141-153.
- Shors, T. J., Olson, R. L., Bates, M. E., Selby, E. A., & Alderman, B. L. (2014). Mental and Physical (MAP) Training: a neurogenesis-inspired intervention that enhances health in humans. *Neurobiology of Learning and Memory*, 115, 3-9.
- Smith, M. A., & Lynch, W. J. (2012). Exercise as a potential treatment for drug abuse: evidence from preclinical studies. *Frontiers in Psychiatry*, 2, 82.

Speranza, M., Corcos, M., Stephan, P., Loas, G., Perez-Diaz, F., Lang, F., et al. (2004). Alexithymia, depressive experiences, and dependency in addictive disorders. *Substance Use & Misuse*, 39(4), 551-579.

Sturm, I., Baak, J., Storek, B., Traore, A., & Thuss-Patience, P. (2014). Effect of dance on cancer-related fatigue and quality of life. *Supportive Care in Cancer*, 22(8), 2241-2249.

Suchman, N., Mayes, L., Conti, J., Slade, A., & Rounsaville, B. (2004). Rethinking parenting interventions for drug-dependent mothers: From behavior management to fostering emotional bonds. *Journal of Substance Abuse Treatment* 27, 179– 185.

μ , ,, . , ,, , ,, , .& , . (2016). μ μ μ μ . , 33(1), 115-123.

, . (2012). μ : , ' μ , (μ .). μ , « ».

, . (2001). : μ μ . , 76, 8-12.

Thorogood, A., Mottillo, S., Shimony, A., Filion, K. B., Joseph, L., Genest, J., et al. (2011). Isolated aerobic exercise and weight loss: a systematic review and meta-analysis of randomized controlled trials. *The American Journal of Medicine*, 124(8), 747-755.

Tuchman, E. (2010). Women and addiction: The importance of gender issues in substance abuse. *Journal of Addictive Diseases*, 29, 127–138.

, . (2003). , μ ' .

, . (1992). μ . :

Gutenberg.

Vancampfort, D., De Hert, M., Knapen, J., Wampers, M., Demunter, H., Deckx, S., et al. (2011). State anxiety, psychological stress and positive well-being responses

to yoga and aerobic exercise in people with schizophrenia: A pilot study. *Disability and Rehabilitation*, 33(8), 684-689.

WHO, (1992). ICD-10
www.who.int/substance.../ICD10ClinicalDiagnosis.pdf

Winklbaur, B., Jung, E., & Fischer, G. (2008). Opioid dependence and pregnancy. *Current Opinion in Psychiatry*, 21, 255–259.

Wurmser, L. (1974). -Psychoanalytic considerations of the etiology of compulsive drug use. *Journal of the American Psychoanalytic Association*, 22, 820-840.

(1986).
 (2004).
 , 88, 69-75.

Zafarghandi, M. B. S., & Jadidi, M. (2014). Drug dependency and women's health. *Women's Health Bulletin*, 2(1).

(1990).
 (2015).
 12(1), 13–25.

(2014).
 12(1), 1–8.

(2003). artwork.

4.

μ

μ

μμ

,

μ

,

μ

,

μ

,

μ

.

μ

μ

μ

μ

μ

μ

.

5.

μ

μ

-

μ

μ

μμ

μ

μ

,

μ

μ

μ

.

μμ

μμ

μ

μ

μ

μ

, μ

μ

μ

.

6.

/

μ

.

μ

μ

μ

.

7.

μμ

μ

μμ

μ

.

8.

μμ

.

μ μ : _/_/_

μ

μ

μμ

μ

μ

2

-

μ :
 μ :
 :
 :
 :
 :
 μ :
 (/ .)
 :

1. μ μ μ . μ
μ , μ .
2. ; μ , μ μ ;
3. μμ μ μ ;
4. μ μ ;
5. μ μ μ μ ;
6. μ μ μ , μ ; ,
μ ;
7. μ μ μ μ ;
8. μ μ μ ; μ ;
9. ;
; μ , . . . ;

ΠΑΡΑΡΤΗΜΑ 3

Έγκριση από την επιτροπή βιοηθικής



Εσωτερική Επιτροπή Δεοντολογίας

Τρίκαλα: 1/3/2017
Αριθμ. Πρωτ.: 1179

Έγκριση της πρότασης για διεξαγωγή Έρευνας με τίτλο: «Εκμάθηση ελληνικού παραδοσιακού χορού και συναισθήματα εξαρτημένων μητέρων - γυναικών στο κλειστό τμήμα ψυχολογικής απεξάρτησης, του 18 ΑΝΩ».

Επιστημονικώς υπεύθυνη / επιβλέπουσα: Βασιλική Ζήση

Ιδιότητα: Αναπληρώτρια Καθηγήτρια

Ίδρυμα: Πανεπιστήμιο Θεσσαλίας

Τμήμα: Επιστήμης Φυσικής Αγωγής και Αθλητισμού

Κύρια ερευνήτρια / φοιτήτρια: Θεοδώρα Παπαδοπούλου

Πρόγραμμα Σπουδών: ΠΜΣ «Ψυχολογία της άσκησης»

Ίδρυμα: Πανεπιστήμιο Θεσσαλίας

Τμήμα: Επιστήμης Φυσικής Αγωγής και Αθλητισμού

Η προτεινόμενη έρευνα θα είναι

Ερευνητικό πρόγραμμα Μεταπτυχιακή διατριβή Διπλωματική εργασία Ανεξάρτητη έρευνα

Τηλ. επικοινωνίας: 697 366 2230 / 694 438 1936

Email επικοινωνίας: papadopoulou_dora@yahoo.gr / vzisi@pe.uth.gr

Η Εσωτερική Επιτροπή Δεοντολογίας του Τ.Ε.Φ.Α.Α., Πανεπιστημίου Θεσσαλίας μετά την υπ. Αριθμ. 2-2/1-3-2017 συνεδρίασή της εγκρίνει τη διεξαγωγή της προτεινόμενης έρευνας.

Ο Πρόεδρος της
Εσωτερικής Επιτροπής
Δεοντολογίας – ΤΕΦΑΑ

Τσιόκανος Αθανάσιος
Αναπληρωτής Καθηγητής

ΠΑΡΑΡΤΗΜΑ 4 Φωτογραφικό υλικό



1.



1. μ μ

(2)



3. μ μ

(2)